



HYDROGEOLOGIC DATABASE Chemical Analysis

[Click HERE to View Information for Well EEU](#)

Sample Results Color Code Legend

Sample Exceeds None Secondary Primary MCL



Owner Name: **The Bridge Christian Fellowship**

Well Key: **EEU**

Site Type: **Well**

TRS: **33N/01E-02B**

PWS Name: **Bridge Church Christian Fellowship**

DOH PwsID: **AC406**

DOH Source #: **1**

Source	Date	Bicarbonate		Conductivity		Hardness		Turbidity									
		Alk	As	Ca	Cl	Fe	K	Mg	Mn	Na	NO3	SO4	TDS				
DOH	4/28/2009		< 0.003		35	486	1.18	198			0.141	24.4	< 0.2	< 50	7.88		

Select Summary Statistics

Avg As:	0.002	Avg Cl:	35.0	Avg Hardness:	198	Avg NO3:	0.10
Median As:	0.0015	Median Cl:	35.0	Median Hardness:	198	Median NO3:	0.1
Max As:	0.0015	Max Cl:	35.0	Max Hardness:	198	Max NO3:	0.1

Bacteria Samples (distribution): [4 sample\(s\)](#)

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data.
Please report any errors to the Island County Hydrogeologist.

Generated by the Island County Hydrogeologic Database

1 records printed on 9/18/2019

Note: Items with [blue frames and blue text](#) are clickable hyperlinks to additional information / resources.

Parameter labels with a [red fill color](#) are exhibiting an increasing trend, and those with a [green fill color](#) are exhibiting a decreasing trend.